

SAFETY DATA SHEET

Betsilan Creme

(cream)

Water repellent impregnator

Date prepared: 2024 Revision date:

Version: 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Betsilan Creme

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Commercial. Building materials.

Uses advised against Not determined.

1.3. Details of the Supplier of the Safety Data Sheet

Name of the manufacturer SL Protection OÜ

Address Vana-Narva mnt 30, Maardu, 74114 Harju maakond, Estonia

E-mail info@slprotection.eu

Phone/fax (+372) 55666174

1.4. Emergency telephone number

Emergency telephone number Estonian National Poisons Information Centre: 16662 (+372 794 3794 from

abroad) / Emergency telephone number: 112

Emergency telephone - §45 - (EC)1272/2008

Lineigency telephone - 345 - (LO)1272/2006			
Europe	112		
Estonia	16662 (24/7)		
Finland	0800 147 111 (call is free of charge) +358 9 471 977		
Austria	+43 (0)1 406 43 43		
Bulgaria	+359 2 9154 233 (24/7)		
Croatia	+385 1 2348 342 (24/7)		
Czech Republic	+420 224 919 293		
	+420 224 915 402		
Denmark	+45 8212 12 12		
France	+33 (0)1 45 42 59 59 (24/7)		
Greece	+30 2107793777 (24/7)		
Iceland	543 2222 (24/7)		
Ireland	+353 1 809 21 66 (8am-10pm; 7 days a week)		
Italy	Numero telefonico del centro antiveleni: 0039 02-66101029		
Latvia	+371 67042473		
Lithuania	+370 (85) 2362052		
Netherlands	Nationaal Vergiftigingen Informatie Centrum (NVIC): +31 (0)88 755 8000		





	Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen
Norway	+47 22 59 13 00
Portugal	+351 800 250 250 (24/7)
Romania	+40213183606
Slovakia	+421 2 5477 4166
Slovenia	112
Spain	+34 91 562 04 20(24h/365 días),
-	Únicamente para respuesta sanitaria en caso de urgencia
Sweden	+46 10 456 6700

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008:

Not a hazardous substance or mixture.

See Sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

Label element

Labelling according to Regulation (EC) No. 1272/2008:

No labeling according to GHS required.

EUH208 Contains chloromethylisothiazolinone and methylisothiazolinone (3:1). May produce an allergic reaction. EUH210 Safety data sheet available on request.

Biocidal Products Regulation (528/2012)

Contains a 3:1 mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one as preservative for products during storage according to regulation (EC) No 528/2012 art. 58(3).

Other hazards

Inhalation of aerosol spray may damage health.

The product hydrolyses under formation of ethanol (CAS-Nr. 64-17-5). Ethanol is classified concerning both physical and health hazards. The hydrolysis rate and consequently the relevance for the hazard profile of the product is strongly dependent on the specific conditions.

Endocrine disrupting properties - human health:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances: Mixtures

Not applicable



Chemical characteristics: Alkoxy silanes + siloxane + water

Hazardous ingredients

Chemical name	Concentration	Cas-No.	EC-No.	Index-No.
Chloro-methyl-isothiazolin-	>=0,001 - <0,0015%	55965-84-9	EC-No.: 611-341-5	613-167-00-5
one and methyl-isothiazolin-				
one (3:1 mix)				

Classification according to Regulation (EC) No. 1272/2008

Acute Tox. 3, oral / H301; Acute Tox. 2, dermal / H310; Acute Tox. 2, by inhalation / dust/mist / H330; Skin Corr. 1C / H314; Skin Sens. 1A / H317; Aquatic Acute 1 / H400; Aquatic Chronic 1 / H410; Eye Dam. 1 / H318

EUH071

M-Factor, Acute = 100 M-Factor, Chronic = 100 specific concentration limit:

>= 0,0015 %: Skin Sens. 1A / H317 0,06 - < 0,6 %: Eye Irrit. 2 / H319 0,06 - < 0,6 %: Skin Irrit. 2 / H315 >= 0,6 %: Skin Corr. 1C / H314 >= 0,6 %: Eye Dam. 1 / H318

Type: INHA: ingredient, VERU: impurity

[1] = Hazardous or environmentally harmful substance; [2] = substance with a community workplace exposure limit; [3] = PBT substance; [4] = vPvB substance; [5] = Endocrine disrupting properties.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above ≥ 0.1%.

4. FIRST AID MEASURES

Description of first aid measures

General advice In case of accident or if you feel unwell seek medical advice (show label or SDS where

possible).

Inhalation Material cannot be inhaled under normal conditions.


Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 5 minutes.

Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. In

case of persistent discomfort: Consult an ophthalmologist.

Skin contact Wash off immediately with soap and plenty of water. Wipe off excess material with cloth

or paper. If skin irritation persists, get medical attention.





Ingestion

Rince the mouth with water. Drink plenty of water in small sips. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media Product does not burn. Use extinguishing measures appropriate to the source of

the fire.

Unsuitable extinguishing media Not applicable.

Special hazards arising from the substance or mixture

Ambient fire may lead to hazardous fumes. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes.

Advice for firefighters

Special protective equipment and precautions for fire-fighters

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

6. ACCIDENTAL RELEASE MEASURES


Personal precautions, protective equipment and emergency procedures:

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

Methods and material for containment and cleaning up:

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / nonbasic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

Environmental precautions: Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible, without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.





Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

Reference to other sections

See Section 1 for emergency telephone numbers.

See Section 5 for firefighting measures.

See Section 8 for appropriate personal protective equipment.

See Section 12 for ecological information.

See Section 13 for further information on waste disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

General information: Always stir well before use.

Safe handling advice: Ensure adequate ventilation. Must be syphoned off in situ. Avoid formation of

aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Keep away from incompatible substances in accordance with section 10.

Observe information in section 8.

Precautions against fire and explosion:

Product may release ethanol. Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against

electrostatic charging. Cool endangered containers with water.

Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels: Observe local/state/federal regulations.

Advice for storage of incompatible materials: Observe local/state/federal regulations.

Further information for storage: Store in a dry and cool place. Protect against sun. Protect against frost.

Store container in a well ventilated place.

Minimum temperature allowed during storage and transportation: θ $^{\circ}C$

Maximum temperature allowed during storage and transportation: 35 $^{\circ}C$

Specific end use(s)

No data available.


8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Maximum airborne concentrations at the workplace:

Substance	Туре	mg/m³	ppm
Ethanol	OEL	1920,0	1000,0

Exposure controls
Exposure in the work place limited and controlled
General protection and hygiene measures:





Observe standard industrial hygiene practices for the handling of chemical substances. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Do not eat, drink or smoke when handling.

Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

Individual protection measures, such as personal protective equipment

Respiratory Protection: If exhalative exposure above the occupational exposure limit cannot be

excluded, adequate respiratory protection equipment must be used. Suitable

respiratory equipment: Respirator with a full face mask, according to

acknowledged standards such as EN 136.

Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and

acidic gases and vapors; ammonia/amines), according to acknowledged

standards such as EN 14387

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136.

Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to

acknowledged standards such as EN 14387

Observe the equipment manufacturer's information and wear time limits for

respirators.

Eye/face protection: Safety glasses

Hand Protection: Use of protective gloves is recommended when handling the material, according

to recognized standards such as EN374.

Recommended glove types: Protective gloves made of nitrile rubber thickness of the material: > 0,1 mm.

Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of butyl rubber thickness of the material: > 0,3 mm.

Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

Skin protection: Protective clothing.

Hygiene measures: When using, do not eat, drink or smoke. Wash face and/or hands before break

and end of work. Immediately remove contaminated clothing. Wash contaminated

clothing before re-use.

Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Form Paste

Colour Yellowish, white dark

Odour Faint
Odour threshold N/A



Melting point: Not determined.

Boiling Point: 100 °C @ 1013 hPa

Upper/lower limit on flammability or explosive limits

Explosive limit - upper: Not determined.

Explosive limit - lower: Not determined.

Flash Point: $64 \, ^{\circ}C$ Auto-ignition temperature: $265 \, ^{\circ}C$

Decomposition Temperature: No data available.

pH: 4,5 - 7 at 25 °C (100%)

Kinematic viscosity: N/A

Solubility in Water: Completely miscible @ 20 °C

Partition coefficient (n-octanol/water): N/A

Vapor pressure: 23 Pa @20 °C

Density: 0.9 g/cm³ @25 °C 1013 hPa

Relative vapor density: N/A

Other information: Hydrolysis products reduce the flash point. Explosion limits for released ethanol: 3.5 - 15%(V).

Property:

Sustained combustibility $>95^{\circ}C$ Evaporation rate N/AMolecular weight N/A

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under the recommended storage and handling conditions.

Explosion data

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, open flames, and other sources of ignition.

Incompatible materials Reacts with: basic substances and acids. The reaction takes place with

the formation of ethanol.

Hazardous decomposition products Ethanol in case of hydrolysis. The following applies for the silicone

content of the substance: Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C

(302 °F) through oxidation.

11. TOXICOLOGICAL INFORMATION



General information

Data derived for the product as a whole are of higher priority than data for single ingredients.

Acute toxicity Product Information

Exposure routes	Result/Effect
Oral	LD50 > 2000 mg/kg
	The assessment is made under consideration of relevant data on ingredients.
	Species: Rat, Source: Conclusion by analogy
Dermal	LD50 > 2000 mg/kg
	The assessment is made under consideration of relevant data on ingredients.
	Species: Rat, Method: OECD 402, Source: Conclusion by analogy
By inhalation	LC50 > 5,2 mg/l; 4 h
(aerosol)	No mortality observed at this dose. Species: Rat, Source: test report

Eye contact No eye irritation.

The assessment is made under consideration of relevant data on ingredients. (Species: Rabbit, Method: OECD 405, Source: Conclusion by analogy)

Skin contact No skin irritation.

The assessment is made under consideration of relevant data on ingredients. (Species: Rabbit, Method: OECD 404, Source: Conclusion by analogy)

Respiratory or skin sensitisation Does not cause skin sensitisation.

The assessment is made under consideration of relevant data on ingredients. (Species: Guinea pig, Test system: Maximisation Test, Method: OECD 406, Source:

Conclusion by analogy)

Germ cell mutagenicity For this endpoint no toxicological test data is available for the whole product.

Carcinogenicity For this endpoint no toxicological test data is available for the whole product.

Reproductive toxicity For this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity - single exposure

For this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity - repeated exposure

For this endpoint no toxicological test data is available for the whole product.

Aspiration hazard Based on the physical-chemical properties of the product no aspiration hazard

must be expected.

Other hazards

Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12. ECOLOGICAL INFORMATION

Toxicity: For the product as a whole, no test data is available. According to current knowledge

adverse effects on water purification plants are not expected.

Persistence and degradability



Product Safety Data Sheet Betsilan Creme

Contact with water liberates ethanol and silanol- and/or siloxanol-compounds. The hydrolysis product (Ethanol) is readily biologically degradable. Silanol- and/or

siloxanol-compounds: Biologically not degradable.

Bioaccumulative potential No data known.

Mobility in soil No data known.

Results of PBT and vPvB assessment N/A

Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1%

or higher.

Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Material

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

Uncleaned packaging

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

14. TRANSPORT INFORMATION

Road ADR: Not regulated for transport

Rail RID: Not regulated for transport

Transport by sea IMDG-Code: Not regulated for transport.

Air transport ICAO-TI/IATA-DGR: Not regulated for transport.

Environmental hazards Hazardous to the environment: no

Special precautions for user Relevant information in other sections has to be considered.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Bulk transport in tankers is not intended.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture



National and local regulations must be observed. For information on labelling please refer to section 2 of this document.

Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances (Seveso III): N/A

Relevant regulations:

SI 2002/1689: CHIP Regulations 2002 SI 2002/2677: COSHH Regulations 2002

SI 1999/3242: Management of Health & Safety at Work Regulations 1999

Health & Safety at Work Act 1974

SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.

Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

Other specifications, restrictions and prohibitions:

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable.

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - ANNEX I. RESTRICTED EXPLOSIVES PRECURSORS: Not applicable.

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors - ANNEX II. REPORTABLE EXPLOSIVES PRECURSORS: Not applicable.

Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

Japan: ENCS (Handbook of Existing and New Chemical Substances):

This product is listed in, or complies with, the substance inventory.

NZIoC (New Zealand Inventory of Chemicals): New Zealand:

This product is listed in, or complies with, the substance inventory. (For a correct interpretation of the New Zealand status, additional information like GHS classification or Group Standard is

required.)

Australia: AIIC (Australian Inventory of Industrial Chemicals):

This product is listed in, or complies with, the substance inventory.

China: IECSC (Inventory of Existing Chemical Substances in China):

This product is listed in, or complies with, the substance inventory.

Canada: DSL (Domestic Substance List):

This product is listed in, or complies with, the substance inventory.

Philippines: PICCS (Philippine Inventory of Chemicals and Chemical Substances):

This product is listed in, or complies with, the substance inventory.

United States of America (USA): TSCA (Toxic Substance Control Act Chemical Substance Inventory):

All components of this product are listed as active or are in compliance with the substance

inventory.


TCSI (Taiwan Chemical Substance Inventory): Taiwan:

> This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSIcompliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the

importing/manufacturing legal entity to take care of this obligation.

European Economic Area (EEA): REACH (Regulation (EC) No 1907/2006):

General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream





users must be fulfilled by the latter.

South Korea (Republic of Korea): AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"):

Please approach your regular contact for more detailed information.

Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

16. OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

ABEK - Multi-Range Filter A, B, E, K; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; APF - Assigned Protection Factor; CAS No. - Chemical Abstracts Service Registry Number; DFG - German Research Foundation; DIN - German institute for standardization; DOC - Dissolved Organic Carbon; d/w - days per week; EC / CE / EG - European Community; EC50 / CE50 - Median effective concentration; ECHA - European Chemicals Agency; ED - endocrine disruptor; EG-RL - test method according to Regulation 440/2008; EN - European Standard; ERC - Environmental Release Category; g/cm³ - gram per cubic centimeter; h - hour(s); H-Code - hazard statement code(s); hPa - Hectopascal; IATA Regs - International Air Transport Association (IATA) Dangerous Goods Regulations; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 / CI50 - half maximal inhibitory concentration; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IMDG Code - International Maritime Dangerous Goods Code; ISO -International Organization for Standardization; LC50 / CL50 - medium lethal concentration; LD50 / DL50 - medium lethal dose; LOAEC - Lowest Observed Adverse Effect Concentration; LOAEL - Lowest Observed Adverse Effect Level; MARPOL - International Convention for the Prevention of Marine Pollution from Ships; mg/g - milligrams per gram; mg/kg - milligrams per kilogram; mg/l - milligrams per liter; mg/m³ - milligrams per cubic meter; min - minutes; mJ - millijoule; mm - millimeter; mm²/s - square millimeter per second; mPa.s - Millipascal second(s); MSDS / SDB / SDS - safety data sheet; No Observed Adverse Effect Concentration; NOAEL - No Observed adverse effect level; NOEC - No Observed Effect Concentration; NOEL - No Observed Effect Level; OECD - Organization for Economic Cooperation and Development; PBT - persistent, bioaccumulative, toxic; PC - product category; P-Code precautionary statement code(s); ppm - parts per million; PROC - process category; RCP - reciprocal calculationbased procedure; RID - convention concerning international carriage by rail; SU - sector of use; SVHC - substance of very high concern; Vol% - volume percent; UN No. - United Nations Dangerous Goods Number; vPvB - very Persistent, very Bioaccumulative.

Other information:

This safety data sheet summarizes the best knowledge we have at the time of issuing this safety data sheet about the health and safety risks of the product, and in particular about the safe handling and use of the product in the workplace. As SL Protection OÜ cannot foresee or control the conditions under which the product is used, each user must use the safety data sheet before using the product to find out how the product must be handled and used at the workplace. If the user needs clarification or additional information about the product, he should contact our company. Our responsibility for the product being sold is set out in standard terms, a copy of which has been sent to our customers and is also available on request.

Explanation of the GHS classification code:

Acute Tox. 3; H301: Acute toxicity Category 3; Toxic if swallowed.

Acute Tox. 2; H310: Acute toxicity Category 2; Fatal in contact with skin.

Acute Tox. 2; H330: Acute toxicity Category 2; Fatal if inhaled.

Skin Corr. 1C; H314: Skin corrosion/irritation Category 1C; Causes severe skin burns and eye damage.

Skin Sens. 1A; H317: Skin sensitisation Category 1A; May cause an allergic skin reaction. Aquatic Acute 1; H400: Short-term (acute) aquatic hazard Category 1; Very toxic to aquatic life.



Product Safety Data Sheet Betsilan Creme

Aquatic Chronic 1; H410: Long-term (chronic) aquatic hazard Category 1; Very toxic to aquatic life with long lasting

effects.

Eye Dam. 1; H318: Serious eye damage/eye irritation Category 1; Causes serious eye damage.

EUH071: Corrosive to the respiratory tract.

Further Information: No data available.

Revision date 2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Contact person / technical support contact:

SL Protection OÜ

Phone: (+372) 55666174

E-mail: info@slprotection.eu

Limitation of liability

For general safety and handling information, please contact SL Protection OÜ. This information is based on our experiences and best knowledge. There is no guarantee for any recommendations or advice. We are not responsible for the completeness or accuracy of this information.